



TECHNICAL SHEET

KNITTING Article **50.D0371**

Release 10 15/12/2022 15:58:25

Valid for one year from date of issue

DESCRIPTIONS

<i>Description</i>	JERSEY 195GR PCE DYED MERINOZQ		
<i>Fineness description WV</i>	UNI EN ISO 18103		SUPER 120's
<i>Composition 1° layer</i>	Allegati Reg.(UE) 1007/2011 e succ.aggiornamenti		100%WV
<i>Average weight</i>	ISO 3801	g/m ²	195 Tolerance +/- 6%
<i>Yarn Count</i>	UNI EN ISO 2060	Nm	1/038
<i>Average usable width</i>	ISO 22198	cm	162 Tolerance - 6%
<i>Customs tariff</i>			60061000
<i>Average microns</i>		µm	17.6

CODES DESCRIPTION: WV Fleece Wool WO Wool PU Polyurethane PA Nylon PTFE Fluorofibre EA Elastane PP Polypropylene PLA Polylactic Acid SE Silk PL Polyester PBAT Polybutylene adipate terephthalate LY Lyocell LI Flax CO Cotton

MANUFACTURING FEATURES

Dyeing method Piece

CARE INSTRUCTIONS

Care instructions UNI EN ISO 3758      

Maintenance remarks Wash inside out
 Wash with mild detergent for wool fabric only

DIMENSIONAL STABILITY

<i>Steam ironing</i>	DIN 53894/2	%	length	-3.0
		%	width	-1.5
<i>Dry cleaning</i>	UNI EN ISO 3175/2	%	length	-0.5
		%	width	-0.5
<i>Machine washing (1X4N soap ECE drying C)</i>	UNI EN ISO 6330	%	Length	-5.0
		%	Width	-6.0
<i>Spirality after washing</i>	ISO 16322/2	%		11



TECHNICAL SHEET

Release 10 15/12/2022 15:58:25

Valid for one year from date of issue

KNITTING Article **50.D0371**

COLORIMETRY

Color shading CMC 2:1 D65 Deg.10 (solids)	DE	Tolerance ≤ 0,8
Color matching on grey scale ISO 105-A02	grado	Tolerance ≥ 4
Color matching solid CMC 2:1 D65 Deg.10	DE	Tolerance ≤ 1,0
Color matching on grey scale ISO 105-A02	grado	Tolerance ≥ 4

WEFT SKEWING AND SINUOSITY

Weft skewing for designs with and without visible weft	≤ 6%
Sinuosity for designs with and without visible weft (1 m)	≤ 3%

ECOTOXICOLOGICAL ANALYSIS

REACH regulation	Reg.(UE) 1907/2006 e successivi aggiornamenti	IN COMPLIANCE
------------------	---	---------------

STANDARD

National Standard of the People's Republic of China (requirements group B)	GB 18401/2010 e successivi aggiornamenti	IN COMPLIANCE
--	--	---------------

CERTIFICATIONS

